

# Unifi / Advanced Commercial Security System

## Individual products

### G5 Dome Ultra

#### Overview

Dimensions	Ø63.6 x 68.2 mm (Ø2.5 x 2.7")
IR Night Vision	20 m (65 ft)
Smart Detections (People, Vehicles, Animals)	Yes
Resolution	2K
Field of View	H: 102.4°, V: 54.9°, D: 120.6°
Tamper Resistance	IK06
Mounting	Surface mount (Included) Junction box, Ultra Flush mount (Optional)

### G5 PTZ

#### Overview

Dimensions	Without mount: Ø90 x 152.5 mm (Ø3.5 x 6")  With mount: 90 x 94 x 179.5 mm (3.5 x 3.7 x 7")
IR Night Vision	20 m (65 ft)
Optical Zoom	2K
Smart Detections (People, Vehicles, Animals)	Yes
Resolution	2K
Field of View	Wide: H: 99.7°, V: 51.9°, D: 121° Tele: H: 45.5°, V: 25.4°, D: 52.4°
Audio	Microphone
Weatherproofing	IP66
Tamper Resistance	IK04
Mounting	Wall mount, pole mount (Included) Conduit adapter, surface, in-ceiling, pendant, corner mount (Optional)

# Dream Machine Pro

## Overview

Dimensions	442.4 x 43.7 x 285.6 mm (17.4 x 1.7 x 11.2")
UniFi Application Suite	
Network	Yes
Protect	Yes
Access	Yes
Talk	Yes
Connect	Yes
Managed UniFi Devices	100+
Managed Cameras	(24) HD (14) 2K (8) 4K
Simultaneous Users Connected	1,000+
Default WAN Ports	(1) 10G SFP+ (1) GbE RJ45
LAN Ports	(1) 10G SFP+ (8) GbE RJ45
IDS/IPS Throughput	3.5 Gbps
Form Factor	Rack mount (1U)
Redundancy	Shadow Mode (VRRP) Gateway Failover DC Power Backup

# Standard 16 PoE

## Overview

Dimensions	442 x 200 x 44 mm (17.4 x 7.9 x 1.7")
Port Layout	
1 GbE RJ45	16 (8 PoE+)
1G SFP	2
Max. PoE Output	Up to PoE+
Total PoE Availability	42W
Form Factor	Rack mount (1U)

# Power Backup

---

## Mechanical

Dimensions	442.4 x 325.6 x 43.7 mm (17.4 x 12.8 x 1.7")
Weight	Without mount brackets : 5.5 kg (12.1 lb) With mount brackets: 5.6 kg (12.3 lb)
Enclosure material	SGCC steel

# Enterprise 3.5" HDD, 8 TB

## Mechanical

Dimensions	147 x 101.9 x 26.1 mm (5.75 x 4 x 1")
Hard disk form factor	3.5-inch
Weight	720 g (1.6 lb)